Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13	53170	(presense or motion or occupant or occupancy) with switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:47
S14	141	((presense or motion or occupant or occupancy) with switch) and (photo with sensor) and (display or screen) and (keys or buttons) and (amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:54
S15	140	((presense or motion or occupant or occupancy) with switch) and (photo with sensor) and (display or screen) and (keys or buttons) and (amplifier) and (electricity or light or lighting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:53
S16	147	((presense or motion or occupant or occupancy) with detector) and (photo with sensor) and (display or screen).and (keys or buttons) and (amplifier) and (electricity or light or lighting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:54
S17	26	((occupant or occupancy) with detector) and (photo with sensor) and (display or screen) and (keys or buttons) and (amplifier) and (electricity or light or lighting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:56
S18	10405	motion adj detector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:57
· S19	3725	(motion adj detector) and (different or various or several or plural or more) with signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:57
S20	4015	(motion adj detector) and (((different or various or several or plural or more) with signal) or ((in and out) with signal) or ((enter and leave) with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/03/01 17:59

	•					
S21	164	(motion adj detector) and (((different or various or several or plural or more) with signal) or ((in and out) with signal) or ((enter and leave) with signal)) and (photo with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:59
S23.	21	(motion adj detector) and (((different or various or several or plural or more) with signal) or ((in and out) with signal) or ((enter and leave) with signal)) and (photo with sensor) and (display) and (push with buttons)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:00
S24	21	(motion adj detector) and (((different or various or several or plural or more) with signal) or ((in and out) with signal) or ((enter and leave) with signal)) and (photo with sensor) and (display) and (push near buttons)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:03
S25	21	(motion adj detector) and ((different or various or several or plural or more) with signal) or ((in and out) with signal) or ((enter and leave) with signal)) and (photo with sensor) and (display) and (push near buttons) and (lights or lighting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:03
S26	53	(motion adj detector) and (((different or various or several or plural or more) with signal) or ((in and out) near signal) or ((enter and leave) near signal)) and (photo near sensor) and (display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:11
S27	33	(motion adj detector) and (((different or various or several or plural or more) with signal) or ((in and out) near signal) or ((enter and leave) near signal)) and (photo near sensor) and (display) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:11
S28	16	(motion adj detector) and (((different or various or several or plural or more) with signal) or ((in and out) near signal) or ((enter and leave) near signal)) and (photo near sensor) and (display) and lens and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:12

	• • • • • • • • • • • • • • • • • • •				A	7000100100
S29	304	smart adj switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:12
530	5	(smart adj switch) and (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:15
S31	0	(occupant adj counter adj control adj switch) and (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:16
S32	. 0	(occupant adj counter adj switch) and (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/01 18:16
S33	0	(occupant adj counter) and (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:16
534	3832	(counter) and (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:17
S35	733	(counter) and (pir or passive adj iR or passive adj infra adj2 red) and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:17
S36		(counter) and (pir or passive adj iR or passive adj infra adj2 red) and display and (photo near sensor) and (lens or cover or covering or protector) and (push (keys or buttons)) and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/01 18:21

					_		
Application of the contraction o	S37	0	(counter) and (pir or passive adj iR or passive adj infra adj2 red) and display and (photo near sensor) and (lens or cover or covering or protector) and (push (keys or buttons)) and amplifier and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:18
	S38	2776351	(counter) and (pir or passive adj iR or passive adj infra adj2 red) and display and (photo near sensor) and (lens or cover or covering or protector) and (push (keys or buttons)) angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:21
dige man dige to the state of t	S39	0	(counter) and (pir or passive adj iR or passive adj infra adj2 red) and display and (photo near sensor) and (lens or cover or covering or protector) and (push (keys or buttons)) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:22
	S40	0	(counter) and (pir or passive adj iR or passive adj infra adj2 red) and (photo near sensor) and (lens or cover or covering or protector) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:22
	S42	10377	(detection or motion) near angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:23
	S43	851915	((detection or motion) near angle) and p(ir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:24
	S44	45	((detection or motion) near angle) and (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:24
	S45	34	((detection or motion) near angle) and (pir or passive adj iR or passive adj infra adj2 red) and lights	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:25

					•	-
'S46	35	((detection or motion) near angle) and (pir or passive adj iR or passive adj infra adj2 red) and (lights or lighting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:29
S47	20	(occupant near counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/01 18:29
S49		(occupant with counter) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:31
S50	. 0	(occupant near counter) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:31
S51	14	(occupant same counter) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:31
S52	33	(occupant same counter) same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 18:32
S54	119	(340/545.3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 18:51
S55	1470	(340/541).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 19:28

			 		~	2006/02/04 40 07
S56	377	(340/565).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 19:03
S57	1056	(340/521).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 19:34
S58		(340/522).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 19:06
S59	406	(340/567).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 19:15
S60	1413	(348/143).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 19:39
S61	118	(348/154).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 19:27
S62	300	(348/155).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2006/03/01 18:58
S63	460	(700/259).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 18:47

S65	56	(725/12).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2006/03/01 18:35
-			DERWENT; IBM_TDB			
S66	30	(725/11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 18:35
S84	455	(occupant with counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/19 12:03
S85	20	((occupant or occupancy) near room same count)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:05
S86 _.	131	((occupant or occupancy) near room same (display or pad))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:19
S87	260	((occupant or occupancy) near (display or pad))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:20
S88	51	((occupant or occupancy) near (display or pad)) and room	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:21
S89	2385	((occupant or occupancy or individual or people or person or human) near (display or pad)) and room	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:18

			_			·
S90	45	(("no." or number or count) near (occupant or occupancy or individual or people or person or human) near (display or pad)) and room	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:44
591	116	"340".clas. and gate adj counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:44
S92	0	"340".clas. and gate adj counter near display same (digital or led)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:45
S93	. 0	"340".clas. and gate adj counter near display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:45
S94	38	"340".clas. and gate adj display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:46
S95	70	"340".clas. and (occupant or occupancy) near display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:46
S96	128	((presense or motion) with switch) and (photo with sensor) and (display or screen) and (keys or buttons) and (amplifier) and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:55
S97	103	(motion adj detector) and (((different or various or several or plural or more) with signal) or ((in and out) with signal) or ((enter and leave) with signal)) and (photo with sensor) and (display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/03/19 13:03

S10 1	200197	(fresnel lens or cover with protect) and (display or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:13
S10 2	3464	(fresnel lens or cover with protect) and (display or interface) and "340".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2006/03/19 13:14
S10 3	39	(fresnel lens or cover with protect) and (display or interface) and "340".clas. and (room same (occupant or occupancy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/03/19 13:17
S10 4	59	(gate adj count) and "340".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:17
S10 5	79	(gate adj count\$3) and "340".clas. and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:19
S10 6	6821	((presense or motion) near sensor) and (display or led or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:20
S10 7	3404	((presense or motion) near sensor) and ((digital near display) or led or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:21
S10 8	410	((presense or motion) near sensor) and (occupant or occupancy) and ((digital near display) or led or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:21

						4
S10 9	143	((presense or motion) near sensor) same (occupant or occupancy) and ((digital near display) or led or (light adj emitting adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:21
S11 0	116	((presense or motion) near sensor) same (occupant or occupancy) and ((digital near display) or led or (light adj emitting adj diode)) and (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:21
S11 1	61	((presense or motion) near sensor) same (occupant or occupancy) and ((digital near display) or led or (light adj emitting adj diode)) same (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:32
S11 2		((presense or motion) near sensor) same (occupant or occupancy) and ((digital near display) and (led or (light adj emitting adj diode))) same (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:32
S11 3	6	((presense or motion) near sensor) same (occupant or occupancy) and (digital near display) and (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:34
S11 4		((presense or motion) near sensor) and (digital near display) same (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:35
S11 5	4	((presense or motion) near sensor) same (digital near display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:36
S11 6	157813	"340".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/19 13:39

S11 7	0	numerica near gate ñear counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:42
S11 8		numeric near gate near counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:42
S11 9	. 5	numeric near display and (occupant or occupancy) with room	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR /	ON	2006/03/19 13:44
S12 1	3157	gate adj counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:46
S12 2	18	gate adj counter near digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:46
S12 3	13	gate adj counter same digital near display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:46
S12 4	13	gate adj counter same (digital near display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:46
S12 5	54	occupant adj display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:54

[
Wile-(-1916-16-16-16-16-16-16-16-16-16-16-16-16-1	S12 7		("displaywithnumberwith(occupanto rindividualorpeopleorperson)withroo m").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 13:58
and the second section of the second section of the second second section sect	S12 8	117	display with number with (occupant or individual o rpeople or person) with room	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:59
and deliberation of the state o	S12 9	127	display with (amount or number) with (occupant or individual o rpeople or person) with room	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 15:56
	S13 0	4	(digital or led) with display with (amount or number) with (occupant or individual o rpeople or person) with room	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 14:00
	S13 1	4	(digital or led) with display with (amount or number) with (occupant or individual or people or person) with room	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 14:01
de de la destace de mandre de la destace	S13 5	5	encapsulated with pir	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:14
	S13 6	535	tube with pir	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:17
	S13 7	96	tube with pir and pivot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:15

						2006/20146
S13 8	1	tube with pir and joint with support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:16
S13 -9	3	tube with pir and (ball near socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:16
S14 0	2561	tube same pir	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:17
S14 1	20	tube same pir and (occupant or occuapancy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:17
S14 2	6	tube and (pir or passive adj iR or passive adj infra adj2 red) and display and (photo near sensor) and (lens or cover or covering or protector) and (push (keys or buttons)) and amplifier and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:20
S14 3	7.	(tube or encase or encapsul\$5) and (pir or passive adj iR or passive adj infra adj2 red) and display and (photo near sensor) and (lens or cover or covering or protector) and (push (keys or buttons)) and amplifier and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:19
S14 4	6260	tube and (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:20
S14 5	2568	tube same (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:20

S14 6	536	tube with (pir or passive adj iR or passive adj infra adj2 red)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/03/19 16:57
S15 3	423	((FUNCTION OR MODE)) NEAR (TWO NEAR (KEY OR BUTTON))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 17:38
S15 4	15	((FUNCTION OR MODE)) NEAR (TWO NEAR (KEY OR BUTTON)) AND (MOTION OR PRESENCE) WITH SENSOR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 17:41
S15 5	454	((FUNCTION OR MODE)) NEAR ((KEY OR BUTTON)) AND (MOTION OR PRESENCE) NEAR SENSOR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 17:42
S15 6	18	((FUNCTION OR MODE)) NEAR ((KEY OR BUTTON)) AND (MOTION OR PRESENCE) NEAR SENSOR AND PIR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 17:54